

Wireless Sensor Network for Coastal Erosion: A National Perspective

¹Arabinda Nanda, ²Amiya Kumar Rath, ¹Saroj Kumar Rout

¹ Department of CSE, Krupajal Engineering College, Bhubaneswar, India

² Department of CSE & IT College of Engineering, Bhubaneswar, India
aru.nanda@rediffmail.com, amiyaamiya@rediffmail.com, rout_sarojkumar@yahoo.co.in

Abstract—Wireless sensor networks (WSN) are one of the research areas in 21st century, which provide platform to scientists with the capability of developing real-time monitoring systems. This paper discusses the development of a WSN to detect coastal erosions, which includes the design, development and implementation of a WSN for real time monitoring, the development of the algorithms needed that will enable efficient data collection and data aggregation, and the network requirements of the deployed coastal erosions detection system. The actual deployment of Puri Sea Beach is in the Puri district of the state of Orissa, India, a region renowned for the sand sculptures and become a favorite haunt of both Indian and foreign beach lovers.

Keywords- wireless sensor network, distributed algorithms, heterogeneous networks, coastal erosion.

1. Introduction

- India has a long coastline of 7516.6 km (according to National Hydrographic Office, Dehradun), spread along the nine maritime states of Orissa, Andhra Pradesh, West Bengal, Tamil Nadu, Kerala, Karnataka, Goa, Maharashtra, Gujarat and the Union Territories of Pondicherry, Andaman & Nicobar Islands, Lakshadweep Islands and Daman & Diu. A substantial portion of the country's coast is affected by sea erosion. The causes of coastal erosion can be natural and/or man-made [4].

Environmental disasters are largely unpredictable and occur within very short spans of time. Therefore technology has to be developed to capture relevant signals with minimum monitoring delay. Wireless sensors are one of the latest technologies that can quickly respond to rapid changes of data and send the sensed data to a data analysis center in areas where cabling is not possible.

WSN technology has the capability of quick capturing, processing, and transmission of critical data in real-time with high resolution. However, it has its own limitations such as relatively low amounts of battery power and low memory availability compared to many existing technologies. It does, though, have the advantage of deploying sensors in hostile environments with a bare minimum of maintenance. This fulfills a very important need for any real time monitoring, especially in unsafe or remote scenarios.

We aim to use the WSN in the coastal erosion scenario for estimating the occurrence of erosions. In India, about 1,500 kilometers' or 26 % of the mainland coastline faces 'serious erosion' and is 'actively retreating', according to the Asian Development Bank.

Coastal erosion is responsible for the loss of land, houses, infrastructure, and business opportunities and poses a high risk to human well-being, economic development, and ecological integrity. Coastal erosion has resulted in loss of life, property, valuable beaches and coastal land used for habitation, agriculture and recreation and continues to be a serious threat to many important buildings, factories, monuments of historical importance, highways and strategic installations along the country's coast. It affects negatively the livelihood of coastal communities, particularly poor households, and ultimately the coastal economies. The annual land losses due to coastal erosion in India is estimated at around \$127 million; potentially the impact could be much more extensive and widespread in the period ahead as the coastline is increasingly subject to a wide range of economic developments; many of which create conflicts and pressures on the already disturbed natural coastal environments.

This paper discusses the design and deployment of an erosion detection system using a WSN system at Puri beach, Puri (Dist), Orissa (State), India.

The remainder of the paper is organized as follows.

Section 2 describes Research Background and Related Work. In Section 3, we describe the Neural Network Algorithm. Section 4 Wireless Sensor Test Bed. Section 5 Conclusion and Future Work.

2. Research Background and Related Work

The research background and relevant technologies includes: (1) the definition of erosion, (2) wireless sensor network technology, and (3) the neural network algorithm

2.1 Definition of Coastal erosion

What is Coastal /Sea erosion?

The landward displacement of the shoreline caused by the forces of waves and currents is termed as *coastal erosion* [1].

Causes of Erosion?

Coastal erosion occurs when wind, waves and long shore currents move sand from the shore and deposits it somewhere else.

Major Causes of Coastal Erosion are:-

Natural Causes

- Action of Waves.
- Winds.
- Tides.
- Near-shore currents.
- Storms.
- Sea Level Rise

Anthropogenic Causes (Human intervention causes)

- dredging of tidal entrances
- Construction of harbors in near shore.
- Construction of groins and jetties
- River water regulation works
- Hardening of shorelines with seawalls.
- Construction of sediment-trapping upland dams
- Beach nourishment.
- Destruction of mangroves and other natural buffers
- Mining or water extraction

2.2 Wireless Sensor Network Technology

WSN technology has generated enthusiasm in computer scientists to learn and understand other domain areas which have helped them to propose or develop real time deployments. One of the major areas of focus is environmental monitoring, detection and prediction.

The Drought Forecast and Alert System (DFAS) has been proposed and developed in [3]; it uses mobile communication to alert the users, whereas the deployed system uses real time data collection and transmission using the wireless sensor nodes, Wi-Fi, satellite network and also through internet. The real streaming of data through broadband connectivity provides connectivity to wider audience.

An experimental soil monitoring network using a WSN is presented in reference [2], which explores real-time measurements at temporal and spatial granularities.

In this paper, real time deployment of a heterogeneous network for coastal erosion detection has been discussed. This study incorporates both theoretical and practical knowledge from diverse domains such as coastal erosion and geomechanics, wireless sensor, Wi-Fi, and satellite networks, power saving solutions, and electronic interface and design, among others, which covered the design, development and deployment of a real-time coastal erosion system using a WSN.

3. Neural Network Algorithm

A neural network is a powerful data modeling tool that is able to capture and represent complex input/output relationships. The motivation for the development of neural network technology is to develop an artificial system that could perform "intelligent" tasks similar to those performed by the human brain. Neural networks resemble the human brain in the following two ways:

1. A neural network acquires knowledge through learning.
2. A neural network's knowledge is stored within inter-neuron connection strengths known as synaptic weights

Fig-1 depicts the neuron model of the neural network and describes as follows.

1. X_i = Input of a neuron i .
2. W_i =Synaptic weight to represent the linkages strength of neuron i .

The high synaptic weight highly effects the operation of the neural network. On the other hand, the low synaptic weight has lightly effects on the neural network. The low synaptic weights usually are removed to reduce the computing time of the neural network. The operation of the neural network is to adjust the synaptic weights of neuron linkages and determine the suitable synaptic weights to have accuracy results.




Fig-1 The neuron model of neural network.




Fig-2 The back-propagation network model.

3. Σ is responsible for the summation of each neuron's synaptic weight.
4. $\phi(\cdot)$ is the activation function, which is the non-linear type to convert the summation value into the output.
5. Y_j = Output of the neural network.

This paper utilizes the most popular Back-Propagation Network (BPN) algorithm to analyze the potential erosion degrees. The BPN algorithm is a typical Supervised Learning Network, which is to learn the internal reflection and regulations between inputs and outputs? The regulations are the synaptic weights of network neurons. For analyzing any new cases, the input values or independent variables are inputted into the neural network and get the inferential related output values quickly.


Fig-2 depicts the Back-Propagation Network model, which have three system layers and described as follows.

- (1) Input Layer comprises the inputs of the BPN and represents the initial values of decision.
- (2) Hidden Layer comprises the neurons, which are responsible for adjusting the synaptic weights of neuron linkages and determining the suitable synaptic weights. To have accuracy results, the hidden layer is composed of several sub-layers to learn the internal reflection and regulations between inputs and outputs.
- (3) Output Layer comprises the outputs of the BPN and represents the final decision results at this training operation.

The control procedure of the BPN algorithm divides into the following operation:-

Two phases of computation:

- **Forward pass:** run the NN and compute the error for each neuron of the output layer.
- **Backward pass:** start at the output layer, and pass the errors backwards through the network, layer by layer, by recursively computing the local gradient of each neuron.



4. Wireless Sensor Test Bed

The WSN follows a two-layer hierarchy, with lower layer wireless sensor nodes, sample and collect the heterogeneous data from the sensor column and the data packets are transmitted to the upper layer. The upper layer aggregates the data and forwards it to the sink node (gateway) kept at the deployment site. Data received at the gateway has to be transmitted to the Field Management Center (FMC) which is approximately 500mt away from the gateway. A Wi-Fi network is used between the gateway and FMC to establish the connection. The FMC incorporates facilities such as a VSAT satellite earth station and a broadband network for long distant data transmission. The VSAT satellite earth station is used for data transmission from the field deployment site at Puri Sea Beach, Orissa, India to the Data Management Center (DMC), situated within the state.

The DMC consists of the database server and an analysis station, which performs data analysis and coastal erosion modeling and simulation on the field data to determine the erosion probability. The wireless sensor network architecture for coastal erosion detection is as shown in Fig-3.

The puri coastal region experiences frequent erosion and has erosion prone areas within 30 k.m (konark, puri_konark marine drive) which can be utilized as future extension sites for erosion detection systems. The different deployment sites can connect to the FMC via a Wi-Fi network.




Fig-3 Wireless Sensor Network Architecture for Erosion Detection

5. Conclusion and Future Work

Real time monitoring of coastal erosion is one of the research areas available today in the field of geophysical research. This paper discusses the development of an actual field deployment of a WSN based coastal erosion detection system. This system uses a heterogeneous network composed of WSN, Wi-Fi, and satellite terminals for efficient delivery of real time data to the DMC, to enable sophisticated analysis of the data and to provide erosion warnings and risk assessments to the

inhabitants of the region. In the future, this work will be extended to a full deployment by using the lessons learned from the existing network. This network will be used for understanding the capability and usability of WSN for critical and emergency application. In the future, we plan to experiment with this method, including a simulation and implementation, to evaluate its performance and usability in a real sensor network application.

ACKNOWLEDGMENT

I would like to thank Mr. Deepak Ranjan Das, Mr. Debasis Das, Mr. Umakanta Samantaray, Mr. Ramakanta Rath, Mr. Prahallad Sahoo for their valuable contribution to this work.

REFERENCE

- [1] Coastal & Sea Erosion: Current Science, Vol-91, No-4, Aug 2006.
- [2] E. R. Musaloiu, A. Terzis, K. Szlavecz, A. Szalay, J. Cogan, and J. Gray, "Life under your feet: A wireless soil ecology sensor network", 2006
- [3] H. Kung, J. Hua, and C. Chen, "Drought forecast model and framework using wireless sensor networks, Journal of Information Science and Engineering, vol. 22, 2006, pp. 751-769
- [4] J. Chandrasekhar Iyer, "Workshop on coastal protection Measures, 5th & 6th Nov. 2004.

AUTHORS PROFILE



Prof. Arabinda Nanda: Received M. Tech (CS) from Utkal University in the year 2007. Currently working as Assistant Professor in the Department of Computer Science & Engineering at Krupajal Engineering College, Bhubaneswar, Orissa, India. Contributed more than 10 research level papers to many National and International journals and conferences. Having research interests include Sensor Network, Adhoc Network, Soft Computing, Artificial Intelligence and Data Mining.



Prof (Dr) Amiya Kumar Rath: Obtained B.E. degree in Computer Science & Engg. from Marathwada University, Maharashtra in the year 1990, MBA degree in Systems Management from Shivaji University in the year 1993, M.Tech in Computer Science from Utkal University in year 2001 and Ph.D in Computer Science in the year 2005 from Utkal University for the work in the field of Embedded system. Served in various positions in different premier institutes namely College of Engineering, Osmanabad, Maharashtra, Orissa Engineering College, Bhubaneswar, Kalinga Institute of Industrial technology (KIIT), Bhubaneswar, Krupajal Engineering College, and Bhubaneswar in the Department CS & IT Engg. Presently working with College of Engineering Bhubaneswar (CEB) as Professor of Computer Science & Engg. Cum Director (A&R) and is actively engaged in conducting Academic, Research and development programs in the field of Computer Science and IT Engg. Contributed more than 30 research level papers to many national and International journals. and conferences Besides this, published 4 books by reputed publishers. Having research interests include Embedded System, Adhoc Network, Sensor Network, Power Minimization, Biclustering, Evolutionary Computation and Data Mining.



Prof. Saroj Kumar Rout: Received M. Tech (CS) from Utkal University in the year 2007. Currently working as Assistant Professor in the Department of Computer Science and Engineering at Krupajal Engineering College, Bhubaneswar, Orissa, India. Contributed more than 08 research level papers to many National and International journals and conferences. Having research interests include Sensor Network, Adhoc Network, Embedded System, and Network Distributed System.

Puri - The Abode of Lord Jagannath

Situated right by the side of Bay of Bengal, Puri is one of the oldest cities in eastern side of India. The city is at a

distance of around 60 km from the capital city of Bhubaneswar. Puri is one of the four Dhams (Sacred places) in India along with Dwarka, Rameshwaram, and Badrinath. The presence of Lord Jagannatha Temple is probably the reason it is considered such an important pilgrimage destination. One thing that comes as a surprise is the appearance of many monasteries here. It is said that this port city once acted as the place from where thousands of devotees of Lord Buddha carried his message to far off places like Philippines and Java and these devotees built the monasteries. Apart from the Lord Jagannatha Temple, Rath Yatra is another religious attraction of the city. Held in the month of July, it is a procession of Lord Jagannatha and his siblings from the temple to Gundicha Mandir which is at a distance of 3 km. One more thing that makes tourist visit Puri is the Puri beach festival. With many performances and classical dance shows, it is a perfect representation of culture of Orissa.

Jagannath Temple



Puri is one of the most sacred cities in India and is called the temple town of Orissa. It is home to the world famous Lord Jagannatha Temple and the Puri beaches which are the most visited destination in Orissa. This is also the place where you can be the part of the divine Rath Yatra. Apart from all these, you can also make a day excursion to Konark, which is famous for magnificent Sun Temple.

Rath Yatra

Rath Yatra is without a doubt the biggest festival in Orissa. Held in the month of July, the Festival of Chariot of Lord Jagannatha attracts pilgrims from all parts of the country. They all gather around the path of the yatra. The procession extends from Jagannatha Temple to Gundicha Mandir which



is at a distance of 3 km. Lord Jagannatha with his brother Lord Balabhadra and sister Goddess Subhadra ride on three gigantic chariots which are magnificently decorated. The chariots are pulled by thousands of devotees. It is believed that the Gods are visiting their aunt in Gundicha Mandir and stay there for five days. After five days they return back in the same chariots in a procession called 'Utarath'.

Puri Beach

Fine white sands, roar of the breakers rolling in from the Bay of Bengal and countless devotees flocking the place for a purification dip are the synonyms to the Puri Beach. The beach has continued to be a sacred venue for an endless number of pilgrims coming to pay homage to Lord Jagannath.



With the annual Beach Festival taking place in November, the beach has now become a favorite haunt of both Indian and foreign beach lovers. Located at a mere distance of 35 kms from the Sun Temple and 65 kms from Bhubaneswar, the beach is an ideal place for an introvert holiday maker for the scarcity of crowd here.

Sand sculptures by Sudarsan Pattnaik at Puri Beach

Sudarsan Pattnaik is a World Famous Sand sculptures, born in Puri in the state of Orissa. He was inspired by the


voice of his inner soul and he started visiting the sea beach at Puri every day since his childhood days.

Slowly he started carving out different faces of gods and goddesses in sand with his imagination and creativity. Initially the forms were not mature as he had no Guru because sand art is not considered as a professional form of art in our Country.

Despite these limitations he pursued in his endeavor as he considered the creativity in him is God gifted ability. He took up the challenge to popularize sand art as a professional art form and started exhibiting sand art at various places in India.

His ultimate objective is to create awareness and enthusiasm among the people and make it popular professional art form among the people for which he is traveling various places in the country and demonstrating this art form by holding work shops and training.

Mr. Sudarshan Patnaik has established "The Golden Sand Art Institute" which is first of it's kind in the country.



Sleeping Beauty



Global Warming Awareness



Buddha's Sand Sculptor



Help the Tsunami Victims



Durga Mata with the burning globe depicting Global Warming

Source: [www.telegraph.co.uk]

Illegal buildings trigger erosion, threaten Puri beach

PEOPLE living in Sipasarubali near the coast in Puri, Orissa, are under threat. Waves have swept away parts of a beach in this popular tourist spot. While local residents are perturbed and visitors are avoiding the shore, officials seem to be in denial.

The district administration has put up sand bags to check erosion but it has not helped. The area has been declared unsafe. "The district administration has enforced restrictions on movement of people in the area," says Rashmi Ranjan Patnaik, the former district collector of Puri.

The stretch of the coast affected by erosion runs for 5

km. Residents of Sipasarubali say the problem began with the construction of a 2.8-km road along the beach to develop the area. But as it became clear that the road and contiguous area were being eroded and protests snowballed, construction was halted after the completion of a 1.5-km stretch up to a little beyond Baliapanda.

Illegal constructions Sand dunes, casuarinas and a rare grass, gudukanka, which blocked erosion, were destroyed when the road was constructed along the beach. Residents of Sipasarubali allege the road was laid close to the sea to allow new constructions away from the sea. The beach falls under category two of the Coastal Regulation Zone (CRZ) notification of the Union Ministry of Environment and Forests which says: "Buildings shall be permitted only on the landward side of the existing road (or roads approved in the Coastal Zone Management Plan of the area) or on the landward side of existing authorized structures. Buildings permitted on the landward side of the existing and proposed roads/existing authorized structures shall be subject to the existing local Town and Country Planning Regulations'. No seaward construction is allowed within 200 m of any existing road under the Environment Protection Act of 1986.

Jagannath Bastia, a member of the Coastal Zone Management Authority of the Union government, says the road was built to help private builders. He says there were protests against the construction because it would affect the sea and the people.

Tsunami fallout Scientists, however, point to a broader issue. Experts from the National Institute of Oceanography, Goa, and Institute of Oceanography Management, Anna University, Chennai, who have been studying the changing behaviour of the ocean in the region say the December 2004 tsunami could be a cause for erosion. Marine scientist Bijay Kumar Sahu, vice-chancellor of the Berhampur University, Orissa, agrees. "There is vibration in the sea even now. The east coast has experienced a series of cyclones during the past two years," he says. Sahu says local factors are also responsible for the erosion because damage to sand dunes and vegetation on the beach changes the character of the coastline. Hoteliers at Puri are getting worried over a decreasing tourist inflow. J K Mohanty, Chairman of the Hotel and Restaurant Association of Orissa attributes the crisis to negative publicity. He says it gives a wrong impression.



(Photo: Ashoke Chakrabarty)

**MARCH OF THE SEA: A scene on the beach road
in Puri that has suffered erosion.**



**Beach Erosion at Konark
(Konark Puri Marine Drive)**